


## Technical Specification

## Glide

<b>Product Name:</b>	Glide
<b>Category:</b>	LED Channel Light
<b>Description:</b>	High efficiency surface mount LED channel light with Osram LEDs



### Dimensions




Product Code	Length (mm)	Width (mm)	Height (mm)
Glide-900	880	87	60
Glide-1200	1100	87	60

## Technical Specification

## Glide

<b>Fitting Material</b>	Powder coated extruded aluminium construction
<b>Available finishes</b>	Powder coated white, custom colours on request
<b>Optic Type</b>	Indirect
<b>IP Rating</b>	IP20
<b>Mounting Type</b>	Surface mount / P2000/ Suspended
<b>LED Colours (CCT)</b>	3000K, 4000K (others on request)
<b>LED Colour Consistency</b>	<3 SDCM
<b>Colour Rendering Index (CRI)</b>	CRI80 , (CRI90 on request)
<b>LED Lifetime</b>	L80B10 >50,000 hrs at Ta = 25° Celsius
<b>Control Options</b>	Non-dim (N), DALI (DALI)
<b>Operating Voltage/ Frequency</b>	220 – 240 V/ 50 – 60 Hz
<b>Optional Add-ons</b>	Min. 1 hour emergency version available
	Compatibility with specific motion or light sensors
<b>Warranty</b>	5 year warranty as per LEDwise standard terms of warranty
<b>Manufacture</b>	Designed and Manufactured in South Africa

Optical and Electrical Characteristics								
Product Code	Plug Power (W)	LED Colour Code	Colour Temp (K)	Min CRI	Luminaire Luminous Flux (lm) *	LED Luminous Flux (lm)	Luminaire Luminous Efficacy (lm/W) *	Beam Angles
Glide-900-44W	43.7	3080	3000	80	3838	5677	88	
		4080	4000		4312	6379	99	
Glide-900-67W	67.1	3080	3000	80	5770	8535	86	
		4080	4000		6483	9590	97	
Glide-1200-44W	43.3	3080	3000	80	3877	5735	90	
		4080	4000		4356	6444	101	
Glide-1200-67W	66.7	3080	3000	80	5707	8443	86	
		4080	4000		6413	9486	96	

\* Values accurate to within 10%

## Technical Specification

## Glide

Product Ordering Code					
Example: <b><i>Glide – 900 - 40W – 4080 – WT - N</i></b>					
<i>Glide</i>	<i>900</i>	<i>40W</i>	<i>4080 (4000K/CRI80)</i>	<i>WT (White)</i>	<i>N (Non-Dim)</i>
Product code	Length	Power	LED colour/CRI	Fitting colour	Control
Document Info					
Glide Rev 2					